




INOX



■ ACERO INOXIDABLE ■ STAINLESS STEEL ■ ACIER INOXIDABLE


ACERO INOXIDABLE

STAINLESS STEEL

ACIER INOXIDABLE


100I

Cuerpo de tensor abierto. INOX
S.S. Open body turnbuckle
Corps à tendeur ouvert. INOX




110I

Cuerpo de tensor tubo. INOX
S.S. Pipe turnbuckle body
Corps à tendeur. INOX




120I

Gancho de tensor. INOX
S.S. Turnbuckle's hook
Crochet à tendeur. INOX




121I

Anilla de tensor. INOX
S.S. Turnbuckle's eye
Oeil roulé à tendeur. INOX




122I

Cáncamo tensor. INOX
S.S. eye
Oeil. INOX




123I

Horquilla de tensor. INOX
S.S. Turnbuckle's jaw
Chape à tendeur. INOX



130I

Horquilla móvil. INOX
S.S. Movable jaw screw
Chape articule. INOX



TENSORES - INOX

S.S. TURNBUCKLES / TENDEURS - INOX AISI 316

4

Ref.		05	06	08	10	12	14	16	20	22	24	27	30	36
		M-5	M-6	M-8	M-10	M-12	M-14	M-16	M-20	M-22	M-24	M-27	M-30	M-36
SWL (Kg)	100I	100	160	300	500	700	-	2.000	2.800	-	-	-	-	-
	110I	100	160	300	500	700	1.100	2.000	2.800	3.800	4.000	5.100	6.200	8.600
	120I	40	70	130	250	400	-	630	1.100	-	-	-	-	-
	121I	100	160	300	500	700	1.100	1.500	2.200	-	-	-	-	-
	122I	160	250	450	700	1.000	1.200	1.600	2.200	-	-	-	-	-
	123I	100	160	300	500	700	1.100	1.500	2.200	3.000	3.500	5.000	6.000	8.000
	130I	100	160	300	500	700	-	1.500	2.200	-	-	-	-	-
A (mm)	100I	67	84	105	115	138	-	190	210	-	-	-	-	-
	110I	80	95	105	125	150	165	190	210	255	280	345	380	410
	120I	62	75	91	109	135	-	170	190	-	-	-	-	-
	121I	60	70	81	97	120	134	154	177	-	-	-	-	-
	122I	69	72	86	101	122	138	148	184	-	-	-	-	-
	123I	66	82	98	118	140	145	175	175	230	246	-	-	-
	130I	76	80	98	118	138	-	200	210	-	-	-	-	-
B (mm)	120I	35	45	55	60	72	-	95	110	-	-	-	-	-
	121I	35	45	55	60	72	82	95	105	-	-	-	-	-
	122I	42	48	56	63	80	90	100	119	-	-	-	-	-
	123I	40	50	60	68	85	90	105	115	135	155	-	-	-
	130I	40	48	56	68	81	-	102	115	-	-	-	-	-
C (mm)	121I	8	10	11	16	20	20	23	25	-	-	-	-	-
	122I	5,5	6,5	8,5	10,5	13	13	14,5	19,5	-	-	-	-	-
	123I	6,5	7,5	11	12	14	15	17	20	25	30	34	40	44
	130I	6	7	10	13	14	-	18	20	-	-	-	-	-
UNIDAD - UNIT - UNITÉ e	100I	1,96	2,90	4,26	6,60	10,20	-	20,56	33,90	-	-	-	-	-
	110I	1,82	2,32	3,96	5,52	9,16	10,20	19,16	30,88	59,40	89,80	140,98	187,50	281,70
	120I	1,30	1,50	2,18	4,56	7,68	-	14,10	20,40	-	-	-	-	-
	121I	1,50	1,58	1,96	3,52	6,72	9,24	14,40	21,56	-	-	-	-	-
	122I	1,64	1,86	2,62	3,98	6,80	7,76	14,74	21,90	-	-	-	-	-
	123I	1,58	1,82	3,20	5,16	9,94	11,44	19,40	39,20	85,15	100,92	130,94	209,20	298,80
	130I	3,24	3,50	4,84	8,10	13,66	-	28,72	46,66	-	-	-	-	-



101I

Gancho y Anilla. INOX
S.S. Hook and Eye
Crochet et Anneau. INOX



102I

2 Anillas INOX
S.S. 2 Eyes
2 Anneaux INOX




103I

2 Ganchos INOX
S.S. 2 Hooks
2 Crochet INOX




112I

2 Anillas tubo INOX
S.S. 2 Eyes and pipe body
2 Anneaux INOX



114I

Anilla y Horquilla INOX
S.S. Jaw and Eye pipe body
Ridoir et Anneau INOX



116I

2 Horquillas tubo INOX
S.S. 2 Jaws and pipe body
2 Chapes INOX

Ref.	05	06	08	10	12	14	16	20	22	24	27	30	36
Medida	M-5	M-6	M-8	M-10	M-12	M-14	M-16	M-20	M-22	M-24	M-27	M-30	M-36
UNIDAD - UNIT - UNITÉ e	101I	4,76	5,98	8,40	14,68	24,60	-	49,06	75,86	-	-	-	-
	102I	4,96	6,06	8,18	13,64	23,64	-	49,36	77,02	-	-	-	-
	103I	4,56	5,90	8,62	15,72	25,56	-	48,76	74,70	-	-	-	-
	104I	5,04	6,30	9,42	15,28	26,86	-	54,36	94,66	-	-	-	-
	105I	5,24	6,62	9,50	14,56	23,80	-	50,04	77,70	-	-	-	-
	106I	5,12	6,54	10,66	16,92	30,08	-	59,36	112,30	-	-	-	-
	111I	4,62	5,40	8,10	13,60	23,56	-	47,66	72,84	-	-	-	-
	112I	4,82	5,48	7,88	12,56	22,60	28,68	47,96	74,00	-	-	-	-
	113I	4,42	5,32	8,32	14,64	24,52	-	47,36	71,68	-	-	-	-
	114I	4,90	5,72	9,12	14,20	25,82	30,88	52,96	91,64	-	-	-	-
	115I	5,10	6,04	9,20	13,48	22,76	-	48,64	74,68	-	-	-	-
	116I	4,98	5,96	10,36	15,84	29,04	33,08	57,96	109,28	229,70	291,64	402,86	605,90

Ref.	11TI	1IAT	1ITT
M5 Para cable 2,5 mm.	4,82	4,74	4,66
M5 Para cable 4 mm.	5,50	5,42	6,02
M6 Para cable 3 mm.	5,89	5,65	5,82
M6 Para cable 4 mm.	6,34	6,10	6,72
M6 Para cable 5 mm.	7,12	6,88	8,28
M8 Para cable 4 mm.	9,58	8,34	8,80
M8 Para cable 5 mm.	10,24	9,00	10,12
M8 Para cable 6 mm.	12,46	11,22	14,56
M10 Para cable 5 mm.	13,94	12,30	12,04
M10 Para cable 6 mm.	16,66	15,02	17,48
M12 Para cable 6 mm.	25,84	22,62	22,64
M12 Para cable 8 mm.	31,85	28,63	34,66
M14 Para cable 7 mm.	32,02	29,82	30,96
M16 Para cable 8 mm.	51,96	46,96	45,96
M16 Para cable 10 mm.	55,26	50,26	52,56
M20 Para cable 10 mm.	90,58	72,94	71,88
M20 Para cable 12 mm.	95,48	77,84	81,68
M22 Para cable 12 mm.	188,01	-	146,32
M22 Para cable 14 mm.	190,27	-	150,84
M24 Para cable 16 mm.	254,52	-	217,40



11TI

Horquilla y terminal INOX
S.S. Jaw, pipe body, Terminal
Ridoir à chape et Tige à sentir INOX



1IAT

Anilla y Terminal INOX
S.S. Eye and Terminal
Anneau et Tige à sentir INOX



1ITT

2 Terminales INOX
S.S. 2 Terminal
2 Tiges à sentir INOX

■ **ACERO INOXIDABLE**
 ■ **STAINLESS STEEL**
 ■ **ACIER INOXIDABLE**

CABLES - INOX

S.S. WIRE ROPE


CÂBLE - INOX

7x7

7x19

1x19

AISI 316





VARILLA TERMINAL PARA PRENSAR - INOX

S.S. SWAGE STUDS / TIGE À SERTIR - INOX

AISI 316

1VTI

4	Ref.	A	B	R	L	CABLE (mm)	S.W.L. (Kgs)	UNIDAD €
	1VTI05	40	24	M-5	86	2,5	100	1,42
	1VTI06	48	32	M-6	100	3	160	1,75
	1VTI54	40	45	M-5	91	4	100	2,10
	1VTI64	48	45	M-6	110	4	160	2,20
	1VTI08	55	45	M-8	117	4	300	2,42
	1VTI65	50	52	M-6	105	5	160	2,98
	1VTI85	57	52	M-8	124	5	300	3,08
	1VTI10	63	52	M-10	130	5	500	3,26
	1VTI86	55	64	M-8	138	6	300	5,30
	1VTI106	63	64	M-10	145	6	500	5,98
	1VTI12	80	64	M-12	162	6	700	6,74
	1VTI128	80	80	M-12	180	8	700	12,75
	1VTI14	90	70	M-14	180	7	1.100	10,38
	1VTI16	100	80	M-16	200	8	1.500	13,40
	1VTI1610	100	90	M-16	210	10	1.500	16,70
	1VTI20	120	90	M-20	230	10	2.200	20,50
	1VTI2012	120	105	M-20	245	12	2.200	25,40
	1VTI2212	140	100	M-22	260	12	2.500	43,46
	1VTI2214	140	140	M-22	308	14	2.500	45,72
	1VTI2416	170	160	M-24	363	16	3.800	63,80



VARILLA TERMINAL ROSCA DCHA. CON TORNILLOS ALLEN - INOX


S.S. SWAGE STUDS RIGHT HAND

TIGE À SERTIR FILET DROIT - INOX

AISI 316

1VTIT

Ref.	R	C	L	B	UNIDAD €
1VTIT4	M5	4	40	80	4,62
1VTIT5	M6	5	40	95	6,26



S.W.L. Kgrs. = Carga de trabajo / Safe working load / Charge de travail



HORQUILLA TERMINAL MÓVIL- INOX


S.S. MOVABLE JAW TERMINAL
CHAPE ARTICULE À SENTIR - INOX

AISI 316

Ref.	A	B	C	L	CABLE (mm)	UNIDAD €
1HTMI03	7	39	6	73	3	4,10
1HTMI04	10	45	8	92	4	6,16
1HTMI05	13	50	9	104	5	9,84
1HTMI06	13	65	12	129	6	16,86
1HTMI08	18	80	16	165	8	32,76
1HTMI10	20	105	19	192	10	51,60




1HTMI



HORQUILLA TERMINAL ROSCA INTERNA- INOX

S.S. JAW TERMINAL W/INSIDE THREAD
CHAPE AVEC FILET INTERIEUR - INOX

AISI 316



1HTIR

4

Ref.	A	B	C	D	E	L	R	S.W.L. Kgrs.	Δ Kgrs.	UNIDAD €
1HTIR6	9	30	10	8	6	60	M6	160	0,02	2,66
1HTIR8	10	31	12	12	8	65	M8	300	0,022	4,08

TERMINALES MANUALES CABLE ENTERO - INOX

S.S. SWAGELESS TERMINALS / TERMINAL - INOX

AISI 316

Ref.	004	005	006	008	010
THIE	Ø Cable 4 mm	Ø Cable 5 mm	Ø Cable 6 mm	Ø Cable 8 mm	Ø Cable 10 mm
TCIE					
TVIE					
Ø	M-6	M-8	M-10	M-12	M-16
UNIDAD € THIE	16,46	19,50	30,60	43,80	62,98
UNIDAD € TCIE	13,60	15,90	22,06	36,86	57,86
UNIDAD € TVIE	15,52	18,40	24,80	38,90	56,20

THIE




TCIE



TVIE



INSTRUCCIONES DE MONTAJE / ASSEMBLY INSTRUCTIONS / MODE D'EMPLOI



SUJETA CABLES - INOX

S.S. WIRE ROPE CLIP

SERRE CABLES - INOX

AISI 316

21I



212I

213I



Ref.	21I018	21I004	21I316	21I014	21I516	21I038
Ø mm	3	4	5	6	8	10
UNIDAD €	0,84	0,86	0,92	1,00	1,22	1,99

Ref.	21I012	21I916	21I058	21I034	21I078	21I001
Ø mm	12	14	16	20	22	25
UNIDAD €	3,58	4,12	5,98	8,01	12,22	14,88

Ref. 212I/213I	02	03	04	05	06
Ø (mm)	2	3	4	5	6

UNIDAD € 212I	0,56	0,64	0,92	1,06	1,54
---------------	------	------	------	------	------



UNIDAD € 213I	0,94	1,06	1,40	1,98	2,82
---------------	------	------	------	------	------

CPC DIN 3093

CASQUILLOS DE COBRE

COOPER SLEEVE

MANCHON CUIVRE



Ref.	Ø CABLE	A	B	S	L	Peso Kg./1000	UNIDAD €
CPC025	2,5	2,7	5,4	1,1	9	1,7	0,24
CPC003	3	3,3	6,6	1,35	11	2,9	0,36
CPC004	4	4,3	8,8	1,7	14	6,2	0,58
CPC005	5	5,6	11,2	2,1	18	12,2	1,02
CPC006	6	6,7	13,4	2,5	21	20	1,46
CPC008	8	8,5	17	3,5	28	47	3,14
CPC010	10	10,9	21,8	4,1	35	90	5,96
CPC012	12	13,2	26,4	4,9	42	158	11,20

GRILLETES RECTOS - INOX

S.S. DEE SHACKLE

MANILLE DROITE - INOX

AISI 316

310I



6	Ref.	A	B	Ø	S.W.L.(Kgrs)	UNIDAD €
	310I04	8	16	4	100	0,96
	310I05	10	18	5	150	1,02
	310I06	12	21	6	210	1,30
	310I08	16	30	8	400	1,84
	310I10	20	36	10	700	3,14
	310I12	24	43	12	950	5,20
	310I14	28	50	14	1.280	8,22
	310I16	32	56	16	1.700	12,80
	310I20	40	70	20	2.400	21,20
	310I22	44	77	22	2.800	35,98
	310I25	50	100	25	3.250	46,30
	310I28	56	97	28	3.570	68,44
	310I32	64	128	32	4.100	102,40
	310I36	73	138	36	5.000	162,26
	310I50	100	175	50	12.000	416,50

CABEZA ALLEN EMBUTIDA

WITH HANGED ALLEN PIN

TÊTÊ 6 PANS CREUX

AISI 316

31AI




6	Ref.	Ø	S.W.L. (Kg)	UNIDAD €
	31AI06	6	210	2,04
	31AI08	8	400	2,74
	31AI10	10	700	3,96
	31AI12	12	950	6,48

317I

GRILLETE REVIRADO INOX
S.S. TWIST SHACKLE
MANILLE TORSE - INOX
AISI 316



GRILLETE LARGO - INOX
S.S. LONG DEE SHACKLE
MANILLE DROITE LONGUE - INOX
AISI 316




316I

Ref.	Ø	S.W.L.(Kgrs)	UNIDAD €
317I05	5	150	1,68
317I06	6	210	1,90
317I08	8	400	2,95
317I10	10	700	5,24
317I12	12	950	7,72

Ref.	A	B	Ø	S.W.L.(Kgrs)	UNIDAD €
316I04	8	30	4	100	1,32
316I05	10	37	5	150	1,45
316I06	12	45	6	210	1,65
316I08	16	60	8	400	3,02
316I10	20	75	10	700	5,40
316I12	24	90	12	950	9,20


Ref.	A	B	C	Ø	S.W.L. (Kgrs)	UNIDAD €
32I004	8	16	12	4	100	1,00
32I005	10	18	15	5	150	1,06
32I006	12	21	18	6	210	1,34
32I008	16	30	24	8	400	2,02
32I010	20	36	28	10	700	3,54
32I012	24	43	36	12	950	5,76
32I016	32	56	48	16	1.700	13,42
32I020	40	75	56	20	2.400	24,20
32I022	44	77	58	22	2.800	36,90
32I024	50	86	75	24	3.250	54,34
32I028	56	102	86	28	3.570	84,22
32I032	64	118	97	32	4.100	134,60

GRILLETE LIRA INOX
S.S. BOW SHACKLE
MANILLE LYRE - INOX
AISI 316



32I

GRILLETE LIRA T/E - INOX
S.S. BOW SHACKLE WITH NUT & COTTER PIN
MANILLE LYRE A/BOULON - INOX
AISI 316



324I

Ref.	A	B	C	Ø	S.W.L. (Kgrs)	UNIDAD €
324I12	24	43	36	12	950	7,04
324I16	32	57	48	16	1.700	16,30
324I20	40	75	60	20	2.400	29,60
324I25	50	86	75	25	3.250	65,50




GRILLETE GIRATORIO - INOX
S.S. EYE AND EYE SWIVEL / EMERILLON - INOX
AISI 316

33I

Ref.	Ø	S.W.L. (Kgrs)	UNIDAD €
33I005	5	130	2,30
33I006	6	210	2,68
33I008	8	400	5,26
33I010	10	580	9,24
33I013	13	1.000	22,30
33I016	16	1.750	36,30
33I019	19	2.600	62,70
33I022	22	3.600	98,80
33I025	25	4.300	149,66

**GUARDACABO
REDONDO - INOX**
S.S. ROUND THIMBLE
COSSE RONDE - INOX
AISI 304



42I

Ref.	42I112	42I002	42I212	42I004
A	13	16	22	30
Ø	36	48	68	98
D	21	29	47	65
UNIDAD €	4,36	6,66	7,06	21,50

GUARDACABO - INOX
S.S. WIRE THIMBLE
COSSE COEUR - INOX
AISI 316

410I



Ref.	A	Cable(mm)	UNIDAD €
410I03	3	2/3	0,20
410I04	4	4	0,22
410I05	5	5	0,30
410I07	7	6/7	0,44
410I09	9	8	0,58
410I12	12	10	1,28
410I13	13	12	1,58
410I15	15	14	2,40
410I17	17	16	3,20
410I19	19	18	3,96
410I22	22	20	7,10
410I25	25	22	8,30
410I27	27	24	11,70
410I30	30	26/28	17,60
410I35	35	32	30,55
410I40	40	36	37,66

GANCHO OJO CON DISP. - INOX
S.S. EYE HOOK WITH LATCH
CROCHET DE LEVAGE À OELL - INOX
AISI 316



511I

Ref.	511I75	511I15	511I35
S.W.L. (Kgrs)	750	1.500	3.500
UNIDAD €	13,02	27,36	69,10

GANCHO PELICANO - INOX
S.S. PELICAN HOOK
CROCHET PELICAN - INOX
AISI 316




GPI

Ref.	GPI006	GPI008
R	M-6	M-8
UNIDAD €	4,75	7,40

GANCHO GIRATORIO - INOX
S.S. SWIVEL HOOK WITH LATCH
CROCHET DE LEVAGE A EMERILLON
INOX
AISI 316


522I




Ref.	A	M	S.W.L.(Kgrs)	UNIDAD €
522I50	28	19	500	13,54
522I10	28	22	1.000	22,60
522I15	32	30	1.500	45,80

GANCHO OJO - INOX
S.S. EYE HOOK WITH LATCH
MOUSQUETON DE SÉCURITÉ SIMPLE
INOX
AISI 316

51I



Ref.	A	M	S.W.L.(Kgrs)	UNIDAD €
51I070	70	14	150	3,26
51I100	100	21	350	6,80



CÁNCAMO LARGO - INOX
S.S. LONG TYPE EYE BOLT
ANNEAU DE LEVAGE LARGUE - INOX
AISI 316

CEI

Ref.	A	RxL	S.W.L. (Kgrs)	PESO (Kgrs)	UNIDAD €
CEI660	16	M6x60	160	0,025	1,78
CEI880	19	M8x80	300	0,057	2,62
CEI101	24	M10x100	500	0,097	4,36
CEI121	28	M12x120	700	0,228	7,05

CÁNCAMO MACHO - INOX

S.S. EYE BOLT

ANNEAU DE LEVAGE MÂLE - INOX

AISI 316

6	Ref.	R	S.W.L.(Kgrs)	UNIDAD €
	541I06	M-6	80	1,18
	541I08	M-8	140	1,58
	541I10	M-10	230	2,88
	541I12	M-12	340	4,90
	541I16	M-16	700	7,92
	541I20	M-20	1.200	12,36
	541I24	M-24	1.800	25,70
	541I30	M-30	3.600	51,40
	541I36	M-36	5.100	91,96



541I

CÁNCAMO HEMBRA - INOX

S.S. EYE NUT

ANNEAU DE LEVAGE FEMELLE - INOX

AISI 316

6	Ref.	R	S.W.L.(Kgrs)	UNIDAD €
	542I06	M-6	80	0,98
	542I08	M-8	140	1,52
	542I10	M-10	230	2,44
	542I12	M-12	340	4,40
	542I16	M-16	700	6,68
	542I20	M-20	1.200	9,90
	542I24	M-24	1.800	20,60
	542I30	M-30	3.600	40,40



542I

ESEI

ESES - INOX

S.S. "S" HOOK


CROCHE ESSE - INOX

AISI 316

Ref.	ESEI03	ESEI04	ESEI05	ESEI06	ESEI08
Ø	3 mm	4 mm	5 mm	6 mm	8 mm
UNIDAD €	0,22	0,34	0,54	0,92	2,24



7GI



MOSQUETÓN BOMBERO CON OJO - INOX

S.S. SNAP HOOK W/ EYELET

MOUSQUETON DE POMPIER À/ COSSE RONDE - INOX

AISI 316

4	Ref.	D x L	d	SWL Kgrs.	Δ Kgrs.	UNIDAD €
	7GI050	5 x 50	6,5	110	0,02	1,26
	7GI060	6 x 60	7,5	130	0,03	1,60
	7GI070	7 x 70	8	150	0,05	1,98
	7GI080	8 x 80	10	180	0,08	2,72
	7GI100	10 x 100	13	250	0,16	4,52
	7GI120	11 x 120	16	280	0,21	7,38
	7GI140	12 x 140	17	300	0,28	9,54

S.W.L. Kgrs. = Carga de trabajo / Safe working load / Charge de travail

MOSQUETÓN EQUINO - INOX


S. S. SNAP HOOK

MOUSQUETON - INOX

AISI 316

710034

UNIDAD €	4,86
----------	------



MOSQUETÓN BOMBERO - INOX

S.S. SNAP HOOK

MOUSQUETON DE POMPIER - INOX

AISI 316

71I

4	Ref.	D x L	SWL Kgrs.	Δ Kgrs.	UNIDAD €
	71I040	4 x 40	35	0,009	0,84
	71I050	5 x 50	110	0,02	1,05
	71I060	6 x 60	130	0,03	1,32
	71I070	7 x 70	150	0,05	1,76
	71I080	8 x 80	180	0,07	2,58
	71I100	10 x 100	250	0,14	4,10
	71I120	11 x 120	280	0,19	6,40
	71I140	12 x 140	300	0,26	8,82
	71I160	13 x 160	320	0,35	12,98

MOSQUETÓN CON MUELLE - INOX


S.S. SPRING SNAP

MOUSQUETON À RESSORT - INOX

AISI 316

71RI

4	Ref.	D x L	SWL Kgrs.	UNIDAD €
	71RI06	6 x 60	120	1,48
	71RI08	8 x 80	280	2,74
	71RI10	10 x 100	500	4,62
	71RI12	12 x 120	640	7,30



MOSQUETÓN VIROLA Y OJO - INOX


S.S. SNAP HOOK W/ SCREW NUT AND EYELET

MOUSQUETON POMPIER DE SECURITE À COSSE RONDE - INOX

AISI 316

711I

4	Ref.	DxL	d	SWL Kgrs.	UNIDAD €
	711I08	8 x 80	10	180	3,44
	711I10	10 x 100	13	250	5,26
	711I12	11 x 120	16	280	8,82
	711I14	12 x 140	17	300	10,70
	711I16	13 x 160	19	320	14,24



MOSQUETÓN VIROLA Y OJO - INOX


S.S. SPRING HOOK W/ EYELET - SCREW NUT

MOUSQUETON ASYMETRIQUE - INOX

AISI 316

7GVI

4	Ref.	D x L	SWL Kgrs.	UNIDAD €
	7GVI08	8 x 80	185	4,06
	7GVI10	10 x 100	260	6,08
	7GVI12	11 x 120	300	9,02



MOSQUETÓN GIRATORIO - INOX

S.S. SWIVEL SNAP SHACKLE

MOUSQUETON DE DRISSE À ÉMERILLON - INOX

AISI 316

7RGI

4	Ref.	A	B	L	SWL Kgrs.	UNIDAD €
	7RGI70	12	12	70	280	4,38
	7RGI87	16	16	87	480	7,46
	7RGI12	22	22	120	650	16,80



MOSQUETÓN RÁPIDO FIJO - INOX

S.S. FIXED SNAP SHACKLE

MOUSQUETON DE DRISSE À OIL FIXE - INOX

AISI 316

7RFI

4	Ref.	A	B	L	SWL Kgrs.	UNIDAD €
	7RFI52	12	9	52	300	2,90
	7RFI66	16	12	66	500	4,60
	7RFI96	22	16	96	850	10,80

MOSQUETÓN DISPARADOR GIRATORIO - INOX

S.S. SWIVEL SNAP SHACKLE

MOUSQUETON A LARGAGE RAPIDE - INOX

AISI 316

730I

Ref.	A	B	L	SWL Kgrs.	UNIDAD €
730I85	14	22	85	200	7,70
730I10	16	25	100	250	10,30
730I11	20	30	115	300	15,40



ESLABÓN DELTA TRIANGULAR - INOX

S. S. QUICK LINK DELTA SHAPE

MAILLON RAPIDE DELTA - INOX

AISI 316

96TI

Ref.	A	B	C	SWL Kgrs.	UNIDAD €
96TI08	56	73	10	770	5,92
96TI10	66	87	12	1.250	9,60
96TI12	75	104	15	1.750	13,44
96TI14	85	123	17	2.450	29,40



ESLABÓN RÁPIDO - INOX

S.S. QUICK LINK


MAILLON RAPIDE - INOX

AISI 316

960I

4

Ref.	D	L	A	B	SWL Kgrs.	UNIDAD €
960I05	5 mm	39	13	6,5	400	1,44
960I06	6 mm	45	14	7,5	580	2,14
960I08	8 mm	58	18	9,5	980	3,98
960I10	10 mm	69	22	12,0	1.600	6,96
960I12	12 mm	81	24	14,5	2.200	10,48



ESLABÓN RÁPIDO GRAN ABERTURA - INOX


S.S. QUICK LINK LARGE OPENING

MAILLON RAPIDE GRANDE OUVERTURE - INOX

AISI 316

96GI

Ref.	A	B	C	D	SWL Kgrs.	UNIDAD €
96GI05	62	23	13	5	400	2,14
96GI06	70	27	14	6	580	2,90
96GI08	88	34	17	8	980	5,06
96GI09	95	37	19	9	1.250	6,14
96GI10	105	41	20	10	1.600	8,76
96GI12	124	48	23	12	2.200	12,12
96GI16	160	65	28	16	4.000	37,98



MALLA RÁPIDA - INOX

S.S. C RING. LOST WAX

MAILLE COUPÉE SIFFLET - NOX


AISI 316

7MRI



4

Ref.	D	A	B	L	L1	SWL (Kgrs)	UNIDAD €
7MRI05	5	8	18	20	30	35	1,40
7MRI06	6 mm	9	21	24	36	55	1,46
7MRI08	8 mm	12	28	32	48	75	1,98
7MRI10	10 mm	15	35	40	60	170	3,32
7MRI13	13 mm	20	46	52	78	250	5,98
7MRI16	16 mm	24	56	64	96	600	11,72
7MRI19	19 mm	28	66	76	114	900	18,32



CANCAMO ABATIBLE 2 TORNILLOS 6MM - INOX


S.S. FOLDING D RING WITH PLATE 6MM

ANNEAU D'ARRIMAGE PLIANT 6MM - INOX

AISI 316

CA2TI06

UNIDAD € 2,36



CÁNCAMO 2 TORNILLOS - INOX


S.S. OVAL PLATE WITH EYE

ÉTRIER INOX - INOX

AISI 316

G2TI

Ref.	A (mm)	d (mm)	UNIDAD €
G2TI05	13	5	1,40
G2TI06	15	6	1,82
G2TI08	20	8	3,06



CÁNCAMO 2 TORNILLOS CON ARO - INOX


S.S. OVAL PLATE WITH EYE AND RING

ÉTRIER INOX AVEC ANNEAU- INOX

AISI 316

G2TIA

Ref.	A (mm)	D (mm)	d (mm)	UNIDAD €
G2TIA5	13	30	5	2,30
G2TIA6	15	40	6	3,22
G2TIA8	20	50	8	5,60



ARO - INOX

S.S. ROUND RING, WELDED

ANNEAU - INOX

AISI 316

AI

Ref.	DxH (mm)	UNIDAD €
AI0430	4 x 30	0,58
AI0635	6 x 35	1,14
AI0850	8 x 50	2,12
AI1070	10 x 70	3,98



■ **ACERO INOXIDABLE**
■ **STAINLESS STEEL**
■ **ACIER INOXIDABLE**

TRIÁNGULO - INOX

S.S. TRIANGLE
TRIANGLE - INOX
AISI 316

7TI

7TI850	
D mm	8
L mm	50
UNIDAD €	2,26




POLEAS - INOX

S.S. PULLEYS
POULIES - INOX
AISI 316




62IC13

4	Ref.	62IC13
	Ø	30
	C	9
	SWL Kgrs.	500
	UNIDAD €	8,85



62IL15

4	Ref.	62IL15
	Ø	50
	C	14
	SWL Kgrs.	750
	UNIDAD €	16,14



62IL25


4	Ref.	62IL25
	Ø	50
	C	14
	SWL Kgrs.	750
	UNIDAD €	25,10



632I10


4	Ref.	632I10
	C	17
	SWL Kgrs.	1.400
	UNIDAD €	136,00

BI2337



BISAGRAS - INOX

S.S. HINGE
CHARNIÈRE - INOX
AISI 316



BI3675



BI9040

Ref.	AxL (mm)	UNIDAD €
BI2337	23x37	3,10
BI3675	36x75	6,08
BI9040	90x40	5,53

